

Marine Debris and Derelict Fishing Gear

The Importance of Understanding the Impacts to Fisheries and Finding Solutions

Council Coordination Committee Meeting Crowne Plaza, Silver Spring, MD February 26, 2009

Holly Bamford, Ph.D.

NOAA Office of Response & Restoration

Marine Debris Program, Director



Acknowledgements

Assisted in presentation information: Megan Forbes Carey Morishige

Photography:

NOAA Marine Debris Program
NOAA Pacific Islands Fisheries
Science Center
NOAA Abandoned Vessel Program
U.S. Coast Guard
Ocean Conservancy

LIVE BAIT

NOAA Pacific Island Regional Office, Observer Program

Today's Outline

- Marine Debris
 - What are we talking about?
 - Why should we care? Impacts
 - Requirements for NOAA
- NOAA Marine Debris Program
- Projects of Interest
 - Fisheries observer partnership
 - Derelict gear disposal & recycling
 - Fishermen DFG removal partnership
 - Other related projects
- Next steps and collaboration
- National Research Council
 - Recent report on marine debris
 - Recommendations





What is Marine Debris?



- Any persistent solid material that is manufactured or processed and directly or indirectly disposed of or abandoned into the marine environment and the Great Lakes.
- Marine debris enters the water in many ways.
- One of the most harmful form of debris *Ghostnets* lost or abandoned fishing gear that continues to trap fish and other marine resources.
- The rising concern of **microplastics** has grown over the last couple of years.



OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Impacts of Marine Debris

- Impacts on human safety and navigation
 - In 2005, collisions with floating and submerged objects caused 269 boating accidents, resulting in 15 deaths, 116 injuries and \$3 million in property damage (U.S. Coast Guard).
 - NOAA surveyed 700 square nautical miles of Alabama, Mississippi, and parts of eastern Louisiana nearshore waters
 - > 5,000 objects located
 - ~ 50 % having a clearance depth of < 5 feet

Summers of 1987-88, beaches in New York and New Jersey were closed when medical





OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Impacts of Marine Debris continued

- Impacts on the Economy
 - In 1987, estimated between \$380M and \$1.60B lost as a result of medical debris wash-ups in New Jersey.

 Estimated lost crab pots kill 744,000 pounds of Dungeness crab per year in Puget Sound worth approximately \$1.2M.

 Estimated debris created by Hurricane Katrina 100 million yds³







OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Impacts of Marine Debris continued

- Impacts on the Environment
 - Debris such as lost fishing gear can damage coral reefs by smothering or breaking apart corals.
 - Lost gear can also result in "ghost fishing".
 - Ingestion of small plastics can lead to starvation or malnutrition
 - 267 animal species worldwide have reported incidents of entanglement and ingestion






NOAA's MD Mandates

- Coastal Zone Management Act, as amended 1990
- Marine Plastic Pollution Research and Control Act
- Coral Reef Conservation Act of 2000
- Marine Debris Research, Prevention, and Reduction Act of 2006
 - Established the NOAA Marine Debris Program
 - Non-Regulatory, focus on research and prevention
 - MAPPING, IDENTIFICATION, IMPACT ASSESSMENT, REMOVAL, AND PREVENTION
 - REDUCING AND PREVENTING LOSS OF GEAR
 - OUTREACH TO STAKEHOLDERS
 - GRANTS, COOPERATIVE AGREEMENTS, AND CONTRACTS
 - USCG take actions to reduce violations of and improve implementation of MARPOL Annex V and the Act to Prevent Pollution from Ships
 - NRC REPORT TO CONGRESS
 - Establishment of Interagency Marine Debris Coordinating Committee



NOAA Marine Debris Program

- Established in 2005
 - National budge ~\$4M
 - NOAA wide program resides in NOS
- Program Staff
 - Director and 9 full-time staff
- Regional coordination of projects
 - > 100 projects to date
 - Three competitive Federal Funding Opportunities
- Goals:
 - Prevent
 - Assess
 - Reduce
- Website: marinedebris.noaa.gov








OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Program Focus Areas



Derelict fishing gear



Data collection and monitoring



Coordination



Outreach and education



Research



On-the-ground efforts



Fisheries Observer Partnership - Background

- Anecdotal information of marine debris interaction from Hawaii longliners
 - Interaction with marine debris at sea was an obvious issue for Hawaii's longliners
 - Interactions were part of "doing business" Fishermen seemed "used to it"

 Anecdotal information from NOAA PIRO Observer Program on marine debris encounters at sea





OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Fisheries Observer Partnership - Economic Impact to Longline Fishing Industry in Hawai'i?



Lack of data and information

- Types of impacts?
- Downtime?
- Damage to gear? to vessel?
- Fishing effort/time lost?
- What is the COST?



OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Data Collection Process

- Marine Debris Encounter
 Reports filled out & submitted
 by observers
- Data entered into spreadsheet (encounter ID # assigned)
- 3. Photos collected
- 4. Data analyzed

GOAL: quantified economic impact to Hawaii's longline fishery

rocess										NOAA Pacific Islands Regional Office, Observer Program Marine Debris Encounter Report This information is being used to help determine the economic cost of marine debris impacts to fisheries.															
												Tr	ip N	uml	ber:				_						
												Position of Encounter with Debris (includes vessel, gear and animals)													
												Latitude:°'N/S						/S	Longitude:°	Longitude:°'E/W (positions to nearest whole minute)					
																		Time:							
ted										Incident Type:							Other	Other Observations:							
												Gear Interaction							_	_					
												☐ Vessel Interaction							ite	Noteworthy Sightings (e.g., large collection of small debris items, large debris objects, etc.)					
										Entangled Species Caught (e.g. entangled swordfish)							nt 🗆 or	Other (includes recovered ingested debris items):							
												De	hris	Ту	ne.										
										_] N	et						Cloth					
												Rope										Plastic sh	eeting		
															-		ilam	ent lin	e			Floats			
] м	etal (desc	cribe):				FAD (Fish	Aggregating Device)				
													-			cribe):									
												Di.	nta	Tun	0 (0	n 0r	livin	a in	net) – List species na	amoe i	f know	n-			
												ы	ola		_		nvin	y in i	ieij – List species na	iiies ii	KIIOW	n.			
Fis Microsoft Excel - Observer_Data.uls									JII _				_ @ X												
								Window Hel		e POF 8. Σ • 2.1 ₹.1 (Δα (Δ7) 50%									Type a question for help	# ×					
A	d			₹ 11	• В					14 28 建建 田· 💁 • ,		% 및	إو												
,	L62		c Is Region	0 ounter R		Program	- 6		II Not indicated	Coliforn Menh and POCR	N BURN Intersetti	L.	н		0	P	0		9	1 .	tl: (descr	ribe the type	of incident in more detail, diameter		
2 4	marin maar	e Dec	ens Enc	ounter i	eport ring this is	Administra Permetina	nina 91 da	276- 000) mart be	G-Granitus St-Speciaris	rection crection Aurenties	No. Carbbins														
Ì	•	-	Trip	·	·	***			Abbrasist	Receiption of ablest & materials	Babaia Type Sta	Blacks and colors	Walight	Walight		Balletie									
	я но	eno-1					" W	Bacifest Type	-5.			200	14((ert.)	*****		Logic	Erthantal met of feasile	Barratina	TT.					
51	+		LL275#-2	30-46579	000 SALEM	pravona	1457	Mari fasi d	-	Runting come up as back 45 (after filter NS). The stread work from dock to those comp investibles when did up and fifty careful principles in both southeast 6. I salid from its our hunting path is the type on dock and develop it and distribute a plann. The greammed A complete II is all information below.	Hat	habitad)	LE CO	E4 (art.)		- 0	trapt red	Estimated out of departing	Morration W	HEIP New Park P New P					
5)	е Гир	mp-1		33-45.67M	800JW	2/9/0001	1697	March forder d	-	constructed has deal to through in withing other skings of their confident from the set to the first track and the set of		hardens	Carto	-	- P	-	To let	Erriment of section of descention	Macratica Ini			Debris	brought on board? Y/N		
34	a He	mo-1	U.175#1	33-48.67H 33-89.07H 30-987H	60 04 PM	2/9/0001 2/9/0001 2/9/0001		Park haded Broad-See haded		resulting with Plant die 14 to Microsomer in the wide the Microsomer and Microsomer and Microsomer in the dis- monthism in 1 to Microsomer in the American profit in the case and with an electric transit all reviews in plants. The systems and dismonthism is an electric to Microsomer in American in the Microsomer in the American in the Microsomer in the	Han Han	baltimeter code	- EM	-	To to	-	-	Estimated of cart of described	-	E E		Debris	brought on board? Y / N		
55	es PE	99-1	LL275#4 LL275#4 LL275#	30:59% 30:39% 37:69%	60:05.4W 60:05.W 90:32W	2/9/0001 2/9/0001 2/9/0001	94,97 9,36 	March Sealed Street March Sealed Street March Sealed Street March Sealed Free Sealed Freet Sealed Street	0 0 0	model transport in the first in the first interest in the section of the section	Hun Hun Hun Hun	orde -	90,90 1,96 26,09	454 6.65	Eu Eu	- Tar		fatinated court of description of the second of description of the second of the secon	-	* *					
55 54	es PE	HOM	1127044 112704	30:5974 30:3474	50:05.4W 50:05.W	2/8/0104 2/8/0104 2/8/0104	1635 	Hank haded Broad-Kee haded Broad-Kee haded	8 0 0	moderne de la chiefe de la chie	Hun Hun Hun Hun Hun		100	454	To To	- Ter	-	-	-	* *	luring do		brought on board? Y/N		
55 54 57 53	es PE	99-1 99-1	1127944 112794 112794 1127941 1127942 1127942	22:59% 22:24% 27:67% 27:67% 22:07%	60:25.4W 60:0W 60:10W 50:00W	2/8/0104 2/8/0104 2/8/0104	94,97 9,36 	March hadred Brown history hadred Brown hadred Grant hadred Free hadred Spring grant printer Free hadred	0 0 0	model transport in the first in the first interest in the section of the section	Hari Hari Hari Hari Hari Man, Ken, plantin obsorbing	orde -	91,90 1,96 24,08 24,08 2001,00	454 1.45 13.01 4.00 401.00	Eu Eu	Ter		- 5100 54 - 521,016.01	-	* *	luring do				
55 54 57 53 53 60 61	68 HS 68 HS 68 HS 60 HS 60 HS 60 HS	99-1 99-1	112704-1 112704-1 112704 112704-1	30:5974 30:3014 31:0019 31:0019	60:25.4W 60:0W 60:10W 50:00W	2/8/0104 2/8/0104 2/8/0104	94,97 9,36 	Hack hole of Bronch fire hole of Son a hole of Son fire of the Son fire of the	0 0 0	moderne de la chiefe de la chie	Hun Hun Hun Hun Hun		\$0,00 1,00 26,00 26,00	454 8.46 9.41	To To	Ter	- 		The control of constructive plans can a balant to be the constructive plans can a balant to be the constructive plans can be constructed by the constructive plant can be constructed by the constructive	* *	luring do				
59 56 57 50 60 61	6 H2 6 H2 11 H2 10 H2 10 H2 10 H2 10 H2	99-1 99-1 99-2 99-2 99-2 99-1 99-1 99-1	LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1 LL200+1	30-59% 30-20% 31-60% 31-60% 32-60% 33-60% 33-60% 30-20% 30-20%	60/25/4/M 40/10/M 50/4/M 50/4/M 60/10/M 50/4/M 50/4/M 50/4/M	2/8/0104 2/8/0104 2/8/0104	10.55 	Place hadred Brown have hadred Brown have hadred Gard hadred The hadred T	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	makes and the data of the control and the cont	Han Han Han Han Han Han, Rone, planting charaking Han Han Han Han	Order	90,00 1,00 24,00 24,00 24,00 24,00 4504,00 1,00 4504,00	434 8.65 8.61 467.01 467.01 460.30 1.01	Too Itoo Itoo Itoo Itoo Itoo Itoo Itoo I	Ter	- CM		-	* *	luring do				
55 56 51 51 51 51 51 60 61	6 H2 6 H2 11 H2 10 H2 10 H2 10 H2 10 H2	99-1 99-1 99-1 1801 801 801 801	LL20044 LL2004 LL2004 LL2004 LL2004 LL2004 LL2004 LL2004 LL2006	30-5974 30-2974 31-675 31-675 32-675 33-675 33-675 33-675 33-675 33-675	60/35.FM FROM BUTTON SCHOOL BUTTON MISTON SCHOOL	2/8/0104 2/8/0104 2/8/0104	10.51 10.54 10.55 10.56	Place hadred Brown March hadred Brown March hadred Some hadred Free hadred Free hadred Some hadred Som	0 0 0 m/g g g g g g g g g g g g g g g g g g g	moder wells der die ist der demonstrative wie die gestellen dem des bestellen dem die dem dem dem dem dem dem dem dem dem de	Han Han Han Han Han Han, Story, planting charaking Han Han Han Han	Fig. 100 to 100	90,90 136 26,00 26,00 2000,00 16,00 26,00 900,00	454 8.65 8.61 8.02 867.00 847.00 840.00 440.00	to t	Ter	- 634 634 634 634 634 634 634		The second of th	* *	luring do				
59 56 57 50 60 61	8 Hg	99-1 99-1 99-2 99-2 99-2 99-1 99-1 99-1	LL2704-1 LL2704-1 LL2706-1	20-5978 20-0478 20-0478 20-0478 20-0478 20-0478 20-0478 20-0478 20-0478 20-0478 20-0478	60/25/4/M 40/10/M 50/4/M 50/4/M 60/10/M 50/4/M 50/4/M 50/4/M	2/8/0104 2/8/0104 2/8/0104	0.97 0.34 0.55 0.34 0.35 0.35 0.35 0.35 0.35 0.35 0.35	Place basked Broad-Ray basked Broad-Ray basked Say Walled Free basked Say Walled Free basked Say Walled	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	makes and the dark Markes and the shall be and the shall be an additional to the shall be added to the shall be a	Hon	Order	90.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00	454 ELAT ELAT METAN META	to t		- EM	\$1.00 34 \$23,000.00 \$1.00 \$1.00 \$1.00 \$1.00	The control of constructive plans can a balant to be the constructive plans can a balant to be the constructive plans can be constructed by the constructive plant can be constructed by the constructive	*	during do	wntime (e.g.			
59 56 57 50 60 61	8 Hg	994 994 994 992 993 993 993 993 994	U.27547 U.27544 U.2756 U.27667 U.27667 U.27667 U.27667 U.27668 U.27668 U.27668 U.27668	20-978 20-978 20-978 20-978 20-978 20-978 20-978 20-978 20-978 20-978 20-978 20-978	EDOSAM ED	2/8/0104 2/8/0104 2/8/0104	10/15	Place haded Broad his haded Broad his haded Broad his haded From haded from From haded from From haded from From haded from From haded See Andread	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	And the first the control of the con	Hen	order	91,90 1,56 29,58 29,68 20,65 24,58 4,60 24,58 24,58 24,58 24,58 24,58 24,58	454 5.85 5.81 402 402 402 1.01 402 402 402 402	to t			\$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00	The second of th	*	00.000	wntime (e.g.	propeller disentangled by divers)		
59 56 57 59 60 61 62 63 64		994 994 994 992 993 993 993 993 994	112704 11	20-98% 20-28% 21-98% 22-98% 23-98% 23-98% 23-98% 23-98% 22-98% 22-98%	EDOSAM EDOW EDITA SOMM EDITA M	2/8/0104 2/8/0104 2/8/0104	10.617 10.34	Place head of Broad Nov head of Broad Nov head of Broad Nov head of See Add of Broad head of	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	And the second of the second o	Hin	orde	\$1.00 1.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00	4.54 1.25 1.25 4.07 4.07 4.02 4.03	To			\$1.00 34 \$23,000.00 \$1.00 \$1.00 \$1.00 \$1.00	The second of th	*	00.000	wntime (e.g.	propeller disentangled by divers)		
59 56 57 50 60 61		1604 699-1 699-2 1692-2 1692-1 1692-1 1692-1 1692-1 1693-1 1694-1	LLITTING	201978 201978 201978 201978 201978 201978 201978 201979 201979 201978 201978 201978 201978 201978 201978 201978 201978	EDISON	SYNCHAL SYN	13.55	Place hadred Bornel Marie Had	8 9 9 9 14 14 14 14 14 14 14 14 14 14 14 14 14	And the second of the second o	Hen	Order	\$1.00 136.00 20.00	454 4.6 0.01 400 400 400 400 400 400 400 400 400 4	To			\$1.00 \$1.00	The second of th	*	00.000	wntime (e.g.	propeller disentangled by divers)		
59 56 57 59 60 61 62 63 64		1604 699-1 699-2 1692-2 1692-1 1692-1 1692-1 1692-1 1693-1 1694-1	LL2704 LL2704 LL2705 LL2705 LL2705 LL2706	201978 201978	#200 APM	SYNCHAL SYN	10.07 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.05	Place hadred Bornel Marie Had	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	And the first of the control of the	Han Hen Hen Hen Hen Hen Hen Hen	Order Fixed order	\$1,00 108 20,08 20,08 20,00 20	154 155 155 155 155 155 155 155 155 155	to t			\$1.00 (10 to 10 to	The state of the s	*	00.000	wntime (e.g.	propeller disentangled by divers)		
59 59 59 50 60 61 63 63 64 65 65 65 65 65 65 65 65 65 65 65 65 65		150 m 150	LLITTING	201978 201978 201978 201978 201978 201978 201978 201979 201979 201978 201978 201978 201978 201978 201978 201978 201978	EDISON	SYMPONE SYM	13.55	Place hadred Bornel Marie Had	8 9 9 9 14 14 14 14 14 14 14 14 14 14 14 14 14	And the first the state of the	Hen	Order	\$1.00 136.00 20.00	454 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.05	To			\$1.00 \$1.00	The second of th	*	00.000	wntime (e.g.	propeller disentangled by divers)		



OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Preliminary Results

Incident Type (as of 8/15/08)

Species
Interaction/Entangled Spp
Caught
5%_

Other or Noteworthy
Sightings
2%

Biota Type - on or living in net	#	%
Fish	20	12.99%
Crustaceans	31	20.13%
Encrusting organisms	28	18.18%
NONE	75	48.70%

Vessel Interaction 9%


Gear interaction 84%

154



OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Preliminary Results



































Fisheries Observer Partnership - Next Steps

- Establish as standard data collection for longline observer program
 - Conducting training data record
 - Modify datasheet to capture impact; input from observers and fishermen

- Engage fisheries economist to help assess economic impact to fishing community.
 - Are we collecting all needed information to reach project objective





Derelict Gear Disposal & Recycling

Honolulu Port Reception Feasibility Study and Derelict Net Recycling Program Funded by NOAA Marine Debris Program in 2005

- Feasibility study: Would Hawaii's longliners use a port reception bin?
 Do they bring back enough debris? YES
- Honolulu Derelict Net Recycling Program: Launched 1/13/06
- Location: Pier 38, Honolulu Harbor for longliners & general public usage
- 38 tons derelict net and monofilament longline



Hawaii's Nets to Energy



Derelict nets & line

Transported to facility of Schnitzer Steel Hawaii Corporation where nets are chopped into small pieces.



100 tons of net =
enough energy to power
43 homes for a year!



Combusted to create electricity at City & County of Honolulu's HPower facility run by Covanta Energy.



Expanding on a good idea – the Fishing for Energy Program

- Partnership between NOAA, Covanta, NFWF, and the fishing community
 - Active involvement in addressing DFG
 - Reduce the amount of unused fishing gear in the community and marine environment
- Launched Feb. '08 in New Bedford, MA
- Locations throughout New England, close to Covanta facilities
- One ton of DFG collected is recycled into energy to power a home in New England for 25 days.





Fishing for Energy – Opportunity for Expansion



- Continue to provide free disposal of unused and derelict fishing gear
 - Only can be successful if needed by fishing community
- Areas of high need?
 - East coast and northwest region
- Fishing ports of interest?
- Issue Regulations preventing removal.



Sea Debris: Fishermen DFG Removal Partnership

- Massachusetts Bay Partnered with local fisherman to locate and remove DFG found in Stellwagen Bank National Marine Sanctuary
 - Assessment
 - Retrieval
 - Disposal
- Collaborating with commercial fishermen to develop solutions
 - Reduce fishermen fixed cost
 - Reduce entanglement hazard
 - Understanding scope of the problem
 - Conserving fishery resources
- Issue Restrictions on removal



Mar

Marine Debris

OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Other Related Projects

- Identification, Mapping, and Assessment of Derelict Fishing Gear in the Chesapeake Bay
 - Estimated 41,971 SE+/- 4234 Derelict Traps in Maryland (Condition unknown)
 - ~61% crab mortality in pots
- Monofilament line recycling program Reel in and Recycle Program
 - BoatUS, Pure Fishing, and Berkeley Recycling
 - Recycle recreational monofilament line at recreational fishing sites throughout the country
 - To date, 750 recycling bins constructed and put into use
- Gulf of Mexico Debris Survey and Removal
 - Alabama, Mississippi, and Louisiana surveys outside navigational channels.
 - Provide debris charts for removal operations and fishing community.
- Recovery and Disposal of Ghost Black Sea Bass Traps in the U.S. South Atlantic Fishery Management Area





Next Steps

- Identify specific marine debris issues for fisheries around the U.S. solely for reducing harm to commercial and recreational catch
 - Work to develop strategies for removal
 - Review existing regulations that prevent debris removal
- Expand observer MD project
- Expand opportunity for free DFG disposal
- Federal Funding Opportunities through MDP
 - Apply for grants
- Emergency disaster funds putting fishing community to work removing crab pots in the Chesapeake Bay.
- Legacy gear vs. accumulation debris

Opportunities for Collaboration

- How can the MDP assist the Councils?
 - What kind of DFG research would the Councils like to see?
 - What kind of removal programs would you like implemented?
- What fisheries do the Councils find particularly problematic in terms of generating DFG?
- Expand opportunity for free DFG disposal
 - What areas of the coast needs gear disposal?
 - Suggested locations
- Federal Funding Opportunities through MDP
 - How do we better target the fishing community?






OFFICE OF RESPONSE AND RESTORATION . NOAA'S NATIONAL OCEAN SERVICE

Back-up Slides



The National Academies, National Research Council Study

- Per MDRPRA Report to Congress
 - Committee on the Effectiveness of International and National Measures to Prevent and Reduce Marine Debris and its Impacts
 - "Tackling Marine Debris in the 21st Century"
 - Released September 18, 2008



- Statement of Task
 - An evaluation of the implementation of MARPOL Annex V and the Act to Prevent Pollution from Ships
 - Review and assessment of management practices for reducing the impact of marine debris, including DFG.
 - An evaluation of the role of FADs in the generation of marine debris and existing legal mechanisms to reduce impacts of such debris.
 - An overview of the existing federal statutes on marine debris with a description of the responsibilities of the designated federal agencies

Recommendations – Fishing Gear

Overarching Findings

- DFG and abandoned or lost FADs fall under both MARPOL Annex V and fisheries management treaties and regulations. This overlap has complicated implementation of measures to prevent and reduce these sources of debris.
- Current regulations do not include accountability measures for gear loss and fishermen and fisheries management organizations have few incentives and several disincentives to take responsibility for the impacts and for cleanup.
- Inadequate port facilities and high disposal costs are an impediment to disposal of waste and DFG.

Overarching Recommendations

- MARPOL Annex V (and corresponding domestic laws) and international and domestic fisheries treaties and regulations should be revised to clearly identify and prohibit preventable losses of fishing gear, including FADs.
- IMO, fisheries management councils and organizations, and other relevant entities should incorporate gear accountability measures and facilitate proper disposal of fishing gear, including FADs.